

1249 Lockheed View Dr. Burbank, Ca 91504 818.238.5397 - Administrative Office 818.238.5400 - Box Office (Operational hours only)

Personnel

General Manager:	Erin Barrows Office Email	City of Burbank 818.238.5402 EBarrows@burbankca.gov
Director of Food & Beverage Services: (Venue Concessionaire July-August	ZorikYeghikian Office t) Email	Café Corner Bistro 818.291.0015 cafecbistro@hotmail.com
Entertainment and Marketing Contact:	Paul Paolone Office Email	City of Burbank 818.238.5437 PPaolone@burbankca.gov
Sound & Lighting Contact: (Preferred vendor, contractor may bring in alternative vendor per agreement)	Martyn Claes Office Email	Auntie M Creative Consultants 626.308.9774 Martyn@auntieM.com

Burbank Starlight Bowl

Venue Notes

• Venue Type	Amphitheatre	
• Capacity	4200 10:00pm	
• Curfew		
• Doors	Per Contract	
Bowl Facts		
Bowl Base Elevation at Stage	1310ft	
Stage Elevation	1314ft	
Top of Lawn Elevation	1390ft	
Downstage Lip to Back of Lawn	267ft	
Downstage Lip to FOH Mix	45ft	
Bowl Sweep	70 Degrees	
Stage Facts		
• Stage Type	Concrete	
Stage Size	60ft wide 46ft deep (from front apron)	
Sound Wings	9ft wide 34ft deep	
Stage Height	4ft	
	10140	

Stage Elevation
Proscenium Opening
60ft wide 27ft high

Rigging

Grid Weight Capacity

- Twelve (12) wire-guided, single purchases, manually operated line sets each with a capacity of 1,000lbs.
- Pipes Running Stage Left to Stage Right 63ft
- Pipes Running Upstage to Downstage 30ft

Stage Curtains

Installed Seasonally May-August

- One (1) Black Velour 63'x10' Top Boarder Across Downstage
- Six (6) Black Velour Legs Stage Right & Left
- Three (3) Panel Black Velour 54'x28' Across Upstage

Burbank Starlight Bowl

House Sound

• N/A – Rented per entertainment tech rider

Mix Position

- 45' from Downstage lip to Front of Mix position
- 15'w x 7'd Concrete

Power

1,200amp 208/120 V., 3 phase-4 Wire Main Switch panel serving the following loads Basement

- "A" 225 amp 3 phase
- "B" 225 amp 3 phase
- "C" 400 amp 3 phase
- "SA" 100 amp 3 phase
- "CAM LOCK" 400 amp 3 phase

Stage Left

- "DPA" 225 amp 3 phase
- "DPB" 225 amp 3 phase

Control Booth

• "DP" 225 amp phase 3 (DP1 & DP2 Dimmer Panels)

House Lights

- 2 Lutron GRAFIK Eye Dimmer Racks, each with 24-20A dimmers
- Berkey Colortran 5 Degree Ellipsoidals with 1000 watt lamps

Spotlights

• N/A – Rented per entertainment tech rider

Risers

• (22) Various lengths and heights from 6" high to 24" high

Burbank Starlight Bowl

Dressing Rooms

Located Below The Stage With Stair Access Upstage Women's

- (1) 12'x10' Private Dressing Room with Shower. Shared restroom in adjacent hallway.
- (1) 12'x17' Private Dressing Room. Shared restroom in adjacent hallway. *Mens's*
- (1) 12'x13' Private Dressing Room with Shower. Shared restroom in adjacent hallway.
- (1) 12'x13' Private Dressing Room. Shared restroom in adjacent hallway.
- (1) 9'x13' Private Dressing Room with Private Bathroom. No Shower. Can be used as Production Office (no direct phone line)

Parking/Load-in

- One (1) dock 3'6" high by 17ft long located stage left
- Paved artist parking for 8 vehicles
- All trailers park lower street level

Fire Curtains

• N/A

Barricade


• Seven (7) 7ft bike rack barricades

House Lights

• Located directly behind FOH within Control Booth

Communications

• Wireless Internet (Building is Wi-Fi Zone)



STREET TURNS INTO LOCKHEED VIEW DRIVE.

STARLIGHT BOWL WILL BE ON LEFT SIDE.

LOAD-IN: Enter driveway on left side and check in with staff